


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2009
 © COPYRIGHT 2006 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|-----------------------------------|-----------|-----|------|
| | | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| 1K | 2 | | | C1 DWG HAS BEEN UPDATED | 03-Aug-09 | JG | JS |
| | | | | C2 Description Cat.6 was Class Ea | 02-Dec-09 | JG | JS |
| | | | | | | | |
| | | | | | | | |



SCHEMATIC VIEW

1. RJ45 Cat.6 PATCH CABLE ASSEMBLIES ARE USED AS PATCH LEADS IN GENERIC CUSTOMER PREMISES CABLING ACCORDING TO ISO/IEC 11801. THEY CAN ALSO BE USED AS WORKSTATION/EQUIPMENT LEADS TO MAINTAIN CHANNEL PERFORMANCE.
2. FOR AVAILABLE DASH LENGTHS, DIM A SEE THE TYCO ELECTRONICS CATALOG

| | | | |
|---|---|---|--|
| <small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small> | | DWN J.GATNAU 03-Aug-09 CHK M.MAQUEDA 03-Aug-09 APVD J.SANABRA 03-Aug-09 | tyco Electronics AMP España, S.A. Barcelona, Spain. |
| DIMENSIONS: mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± | PRODUCT SPEC 108-93010 APPLICATION SPEC - | NAME PATCH CORD RJ45 Cat.6 S/FTP PIMF600 LSZH STRANDED BLUE |
| MATERIAL - | FINISH - | WEIGHT - | SIZE A3 CAGE CODE - DRAWING NO ©=1711079 RESTRICTED TO - |
| CUSTOMER DRAWING | | SCALE - | SHEET 1 OF 1 REV C2 |