


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 2009
 © COPYRIGHT 2009 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
1K	2	A	ISSUED	26-Jan-08	JG JS
		B	ECR-09-003785	18-Feb-09	JG JS

1. RJ45 to 2 PAIR PLUG ACC. TO IEC 61076-3-104 PATCH CABLE ASSEMBLIES FOR 10/100 ETHERNET APPLICATION ARE USED AS HYBRID PATCH LEADS IN GENERIC CUSTOMER PREMISES CABLING ACCORDING TO ISO/IEC 11801. THEY CAN ALSO BE USED AS WORKSTATION/EQUIPMENT LEADS TO MAINTAIN CHANNEL PERFORMANCE.



DRAWING SCHEMATIC

2-1711613-0	20000-20050	20
1-1711613-5	15000-15050	15
1-1711613-0	10000-10050	10.0
1-1711613-4	7500 - 7550	7.5
1711613-5	5000 - 5050	5,0
1711613-3	3000 - 3050	3,0
1711613-2	2000 - 2050	2,0
1-1711613-2	1500 - 1550	1.5
1711613-1	1000 - 1050	1.0
1-1711613-1	500 - 550	0.5
TE P/N	DIM "A"	METERS, REF
PART NUMBER INFO		

<small>THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.</small>		DWN J.GATNAU 26-Sep-08 CHK M.MAQUEDA 30-Sep-08 APVD J.SANABRA 30-Sep-08		Tyco Electronics AMP España, S.A. Barcelona, Spain.	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		NAME RJ45/2pr AMP-TWIST PLUG PATCH CABLE ASSY PiMF1200MHz ETHERNET PINOUT (1236),LSZH,STRD	
MATERIAL -		FINISH -		PRODUCT SPEC 108-93024 APPLICATION SPEC - WEIGHT -	
CUSTOMER DRAWING				SIZE A3 CAGE CODE 00779 DRAWING NO C-1711613	RESTRICTED TO -
SCALE -				SHEET 1 OF 1	REV B